

JUN 08 2006

Appl. No.: 09/827,504  
Amdt. Dated: 06/08/2006  
Off. Act. Dated: 03/09/2006

**Amendments to the Claims:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

**Listing of Claims:**

1. (currently amended): An electronic data marker device, comprising:  
a display unit including a plurality of display panels positioned and housed within said display unit;

a mark button configured to bookmark broadcast material in response to interaction by a user; and

an input unit for inputting data marks of bookmarked material, wherein each said data mark indicates a time and each said data mark represents content that is broadcast broadcasted at said time; [,.]]

wherein said input unit is configured for connecting through an internet connection to retrieve text and/or image data associated with each said data mark;

wherein said display unit is configured to receive said data marks from said input unit and correspondingly display corresponding text and/or image information about said data marks on said plurality of display panels.

2. (original): The device of claim 1 wherein said display unit includes one of a liquid display crystal, a cathode ray tube display, and a touchpad display unit.

3. (original): The device of claim 1 further including a base mounted to said display unit for vertically supporting said display unit.

4. (original): The device of claim 1 wherein each of said plurality of display panels on said display unit are non-overlapping.

Appl. No.: 09/827,504  
Amdt. Dated: 06/08/2006  
Off. Act. Dated: 03/09/2006

5. (original): The device of claim 1 wherein each of said plurality of display panels have substantially the same dimensions.

6. (original): The device of claim 5 wherein said plurality of display panels are arranged on said display unit in a substantially uniform array.

7. (original): The device of claim 1 wherein said plurality of display panels are of one of a square shape, a triangular shape, and a rectangular shape.

8. (original): The device of claim 1 wherein said display unit is configured to selectively display an indication of said received data marks on a corresponding one or more said plurality of display panels.

9. (original): The device of claim 8 wherein said display unit displays said indication of received data marks by illuminating said corresponding one or more of said plurality of display panels.

10. (original): The device of claim 1 wherein said data marks include information corresponding to a music file.

11. (original): The device of claim 10 wherein said information corresponding to said music file includes a text and an image information corresponding to said music file.

12. (currently amended): The device of claim 1 wherein said input unit is configured for entering the user's account information and performing necessary e-

Appl. No.: 09/827,504  
Amdt. Dated: 06/08/2006  
Off. Act. Dated: 03/09/2006

marker account access steps prior to retrieval of text and/or image data associated with each said data mark includes a spring-loaded button.

13. (original): The device of claim 1 wherein said input unit includes a music broadcast mark button and a television broadcast mark button.

14. (original): The device of claim 1 further including an output unit for coupling an external device.

15. (currently amended): The device of claim 14 wherein said output unit includes one or more of a USB port, a parallel port, and an infra red (IR) port.

16. (original): The device of claim 14 wherein said external device includes one or more of a personal computer, a personal digital assistant, a television set, a mobile telephone, a pager, and a wireless communication device.

17. (original): The device of claim 14 wherein said external device is configured to correspondingly display said received data marks on said external device.

18. (original): The device of claim 17 wherein said data marks are music marks corresponding to music files and further, wherein said data marks displayed on said external device includes information corresponding to said each received music marks.

19. (original): The device of claim 18 wherein said music marks displayed by said external device includes one or more of a title of the music corresponding to said each music marks, a name of the artist corresponding to each music marks, a title of

Appl. No.: 09/827,504  
Amdt. Dated: 06/08/2006  
Off. Act. Dated: 03/09/2006

the album corresponding to each music marks, and a graphical display of an album cover corresponding to each music marks.

20. (currently amended): A method comprising:

bookmarking the time of a broadcast within a data mark stored within a plurality of data marks;

~~receiving a data mark~~ wherein said data mark indicates a time and said data mark represents content that is broadcast ~~broadcasted~~ at said time; and

establishing connectivity with a gateway device;

transmitting stored data marks associated with said bookmarks to the gateway device;

receiving information from the gateway device related to said bookmarks as text and/or image data; and

displaying the text and/or image data associated with each data mark within the plurality of data marks.

21. (original): The method of claim 20 further including:

determining that maximum number of data marks have been received; and  
outputting an output signal responsive to said determining step.

22. (original): The method of claim 21 wherein said output signal includes one of an audio signal and a display signal.

23. (original): The method of claim 21 wherein said maximum number is nine.

Appl. No.: 09/827,504  
Amdt. Dated: 06/08/2006  
Off. Act. Dated: 03/09/2006

24. (previously presented): The method of claim 20 wherein said step of displaying said data mark includes the step of illuminating a display panel corresponding to the receiving step.

25. (original): The method of claim 20 wherein said data marks include one or more of a time stamp information and a date stamp information.

26. (currently amended): A method comprising:  
bookmarking the time of a broadcast within a data mark stored within a plurality of data marks;  
detecting a connection to a gateway device;  
entering user account information;  
transmitting a stored data mark to said gateway device wherein said stored data mark indicates a time and said stored data mark represents content that is broadcasted at said time;  
receiving text and/or image data corresponding to each said stored data mark;  
and  
displaying said received data for a plurality of said data marks wherein said received data identifies said broadcast content.

27. (previously presented): The method of claim 26 further including:  
detecting a disconnection from said gateway device; and  
resetting said stored data mark.

28. (previously presented): The method of claim 27 wherein the resetting step includes deleting the stored data mark.

Appl. No.: 09/827,504  
Amdt. Dated: 06/08/2006  
Off. Act. Dated: 03/09/2006

29. (previously presented): The method of claim 26 wherein said connection includes one of a parallel, serial or USB cable connection, and a wireless connection.

30. (original): The method of claim 26 wherein said gateway device includes one of a personal computer and a server terminal.

31. (previously presented): The method of claim 26 wherein said received data includes one or more of text data, still image data, animated image data, and video data corresponding to said stored data mark.

32. (currently amended): An electronic marker device, comprising:  
input means for inputting a plurality of data marks wherein each said plurality of data marks indicates a time and each said plurality of data marks represents content that is broadcasted at said time;

wherein said input means is configured to bookmark broadcast material in response to interaction by a user;

wherein said input means is configured for connecting through an internet connection to retrieve text and/or image data associated with each said data mark; and

display means for displaying text and/or image information about said plurality of data marks, said display means configured to display a plurality of said data marks received from said input means on corresponding display panels.